

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office..... JAN 28 1980
 Returned to applicant for correction..... JUN 10 1980
 Corrected application filed..... JUN 13 1980
 Map filed..... JUN 13 1980

The applicant..... Argus Resources, Inc.
 c/o Chilton Engineering....., of 421 Court Street, Elko.....
Street and No. or P.O. Box No. City or Town
 Nevada 89801....., hereby make application for permission to appropriate the public
State and Zip Code No.
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
 tion; if a copartnership or association, give names of members.)..... A Nevada Corporation since
 1954

1. The source of the proposed appropriation is..... Slaughter house spring.....
Name of stream, lake or other source.

2. The amount of water applied for is..... 1.0 cfs..... second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for..... Mining, Milling & Domestic.....
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: within lots 2 (SW $\frac{1}{4}$ SW $\frac{1}{4}$) of
 Section 17, T19N R44E MDM or at a point from which the SW corner of
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
 said Section 17 bears S.71°45'W. 877 feet.
it should be stated.

6. Place of use within SE $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 18,
Describe by legal subdivision, if on unsurveyed land it should be so stated.
 T19N R44E MDM.

7. Use will begin about Jan. 1 and end about Dec. 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
 specifications of your diversion or storage works.) Clean and improve spring site to
 ensure flow, install collection system with pipeline to place of use.
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

- 9. Estimated cost of works.....\$20,000.00.....
- 10. Estimated time required to construct works.....2 years.....
- 11. Estimated time required to complete the application to beneficial use.....3 years.....
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Estimated consumptive use: 300 gal per minute 24 hours per
day 7 days per week 360 days per year coming from 40616-41365-
41366-40419 & 40418. Please send copies of all correspondence
to: Mr. Noack, P.O. Box 56, Austin, NV 89310

Applicant Argus Resources, Inc.
Pro. 9/8/80 by Howard W. & Barbara C. Wolf
By s/ William A. Nisbet agent
421 Court Street
Elko, Nevada 89801
Compared lp/vjw

Pro. 8/14/80 by USA-Forest Service
Pro. 8/15/80 by Joy Brandt
DENIAL OF STATE ENGINEER


This is to certify that I have examined the foregoing application, and do hereby ^{deny}~~grant~~ the same, subject to the following limitations and conditions:

Applications 40418, 40419, 40616, 41365 and 41366 are hereby
~~denied on the grounds that the applicant has not submitted the~~
data and information requested by the State Engineer's Office,
~~and that without this information the granting of the~~
applications would be detrimental to the public interest. No
~~finding is made on the merits of the protests.~~

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and
not to exceed.....cubic feet per second.....

- Actual construction work shall begin on or before.....
- Proof of commencement of work shall be filed before.....
- Work must be prosecuted with reasonable diligence and be completed on or before.....
- Proof of completion of work shall be filed before.....
- Application of water to beneficial use shall be made on or before.....
- Proof of the application of water to beneficial use shall be filed on or before.....
- Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....
Completion of work filed.....
Proof of beneficial use filed.....
Cultural map filed.....
Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, MICHAEL TURNIPSEED, P.E.,
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 15th day of December
A.D. 1995

State Engineer